


### ELEVATION VIEW



### CROSS SECTION

- NOTES:**
- 1) 208V, 3 PHASE POWER SUPPLY WIRING TO DISCONNECT SWITCH, WALL MOUNT PANEL, AND MOTOR BY OTHERS
  - 2) PREPARATION OF OPENING BY OTHERS
  - 3) PAINTING BY OTHERS EXCEPT WHERE SPECIFIED
  - 4) SAFETY MOTION DETECTOR INSTALLED ABOVE EXTERIOR HEADER BY BEGLEY
  - 5) FREE EXIT LOOP BY BEGLEY, (LOCATION T.B.D.)
  - 6) NEMA 4/12 WALL MOUNT CONTROL PANEL, 2W DUAL TRANSFORMERS, FUSES, AND OVERLOAD PROTECTION, 0.60 SEC. CLOSE TIMER, 0.60 SEC. TIME DELAY, AND FULL AUTOMATIC CONTROLS BY BEGLEY
  - 7) FABRIC TO BE ASSURED, AND VOLTAGES CONFIRMED PRIOR TO DISCONNECT BY BEGLEY
  - 8) THROUGHBEAM SAFETY PHOTOCELLS BY BEGLEY.

|  |         |
|--|---------|
| SLIDING DOOR OPERATOR                  | PRO-GSD |
| MODEL                                  | 208     |
| VOLTS                                  | 3       |
| PHASE                                  | 34      |
| HP                                     | 3.5     |
| POWER SUPPLY AND DISCONNECT BY OTHERS. |         |

**BEGLEY DOORS LIMITED**

26 HOLLIBY AVENUE  
BRAMPTON, ONT  
L6X 2M1

905 846 6000  
905 453 4000 FAX

|              |   |
|--------------|---|
| JOB:         | THE HUDSON - INTERIOR SEPARATION DOOR<br>438 KING STREET WEST |
| DOOR TYPE:   | SLIDING DOOR<br>BY BEGLEY                                     |
| CONTRACTOR:  | TUCKER H-RISE CONSTRUCTION LTD.                               |
| ARCHITECT:   | DIMANDIO & SCHMITT ARCHITECTS                                 |
| DATE:        | 09/24/05  |
| SCALE:       | NO SCALE  |
| DRAWING NO.: | 10-1  |